



Sheet 1 of 3

APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-50		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY DOCKET NO PPI-119	SERIAL NO. 09/847946
LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)		APPLICANT May, Michael J. et al.	FILING DATE May 2, 2001	GROUP 1646

U.S. PATENT DOCUMENTS


EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
AJ	A1	5,747,641	05/98	Frankel et al.	530	300	
AJ	A2	5,804,374	09/98	Baltimore et al.	435	6	
AJ	A3	5,804,604	09/98	Frankel et al.	530	324	
AJ	A4	5,846,743	12/98	Janmey et al.	435	7.8	
AJ	A5	5,851,812	12/98	Goeddel et al.	435	194	
AJ	A6	5,888,762	03/99	Joliot et al.	435	69.1	
AJ	A7	5,939,302	08/99	Goeddel et al.	435	194	
AJ	A8	5,972,655	10/99	Marcu	435	69.1	
AJ	A9	6,015,787	01/00	Potter et al.	514	12	
AJ	A10	6,030,834	02/00	Chu et al.	435	325	
AJ	A11	6,316,415 B1	11/01	Albrecht et al.	514	18	

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
AJ	A12	WO 98/52614 A2,A3	11/98	WO			
AJ	A13	WO 99/29721 A1	06/99	WO			
AJ	A14	WO 00/01417 A1	01/00	WO			
AJ	A15	WO 00/29427 A2,A3	05/00	WO			
AJ	A16	WO 00/31235 A2,A3	06/00	WO			

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

AJ	A17	Bower, B.S. et al. "Glicocladium reseum EGIII-like cellulose (partial sequence).", Database A Geneseq 032802, Accession NO: AAY06332 (6 Sept. 1999).
AJ	A18	Chu, Z-L. et al., "IKK Mediates the Interaction of Cellular I κ B Kinase with the Tax Transforming Protein of Human T Cell Leukemia Virus Type 1." <i>The Journal of Biological Chemistry</i> , Vol. 274, No. 22, pages: 15297-15300 (1999)
AJ	A19	Delhase, M. et al., "Positive and Negative Regulation of I κ B Kinase Activity Through IKK β Subunit Phosphorylation." <i>Science</i> , Vol. 284, pages: 309-313 (1999)
AJ	A20	Derossi, D. et al. "The third helix of the Antennapedia homeodomain translocates through biological membranes." <i>J. Biol. Chem.</i> Vol. 269, No. 14, pages: 10444-50 (1994).
AJ	A21	DiDonato, J.A. et al., "A cytokine-responsive I κ B Kinase that activates the transcription factor NF- κ B." <i>Nature</i> , Vol. 388, pages: 548-554 (1997)
AJ	A22	DiDonato, J.A. et al., "Mapping of the Inducible I κ B Phosphorylation Sites That Signal Its Ubiquitination and Degradation." <i>Molecular and Cellular Biology</i> , Vol. 16, No. 4, pages: 1295-1304 (1996)

Examiner 	Date Considered 1-6-04
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	



Sheet 2 of 3

APPLICANT FACSIMILE OF FORM PTO-1449 REV. 4/97	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY DOCKET NO PPI-119	SERIAL NO. 09/847946
LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)		APPLICANT May, Michael J. et al.	MAY 13 2003 TECH CENTER 1600 RECEIVED
		PILING DATE May 2, 2001	

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

<i>AS</i>	B1	Ghosh, S. et al., "NF- κ B and Rel Proteins: Evolutionarily Conserved Mediators of Immune Responses." <i>Annu. Rev. Immunol.</i> , Vol. 16, pages: 225-60 (1998)
<i>AS</i>	B2	Harhaj, E.W. et al., "IKK γ Serves as a Docking Subunit of the I κ B Kinase (IKK) and Mediates Interaction of IKK with the Human T-cell Leukemia Virus Tax Protein." <i>The Journal of Biological Chemistry</i> , Vol. 274, No. 33, pages: 22911-22914 (1999)
<i>AS</i>	B3	Hatada, E.N. et al. "NF- κ B and the innate immune response." <i>Curr. Opin. Immunol.</i> ; Vol. 12, No. 1, pages: 52-8 (2000)
<i>AS</i>	B4	Ho, A. et al. "Synthetic protein transduction domains: enhanced transduction potential <i>in vitro</i> and <i>in vivo</i> ." <i>Cancer Res.</i> Vol. 61, No.2, pages: 474-7 (2001)
<i>AS</i>	B5	Hu, Y. et al., "Abnormal Morphogenesis but Intact IKK Activation in Mice lacking the IKK α Subunit of I κ B Kinase." <i>Science</i> , Vol. 284, pages: 316-320 (1999)
<i>AS</i>	B6	Jin, D-Y. et al., "Role of Adapter Function in Oncoprotein-mediated Activation of NF- κ B." <i>The Journal of Biological Chemistry</i> , Vol. 274, No. 25, pages: 17402-17405 (1999)
<i>AS</i>	B7	Jin, D-Y. et al., "Isolation of Full-Length cDNA and Chromosomal Localization of Human NF- κ B Modulator NEMO to Xq28." <i>Journal of Biomedical Science</i> , Vol. 6, pages: 115-120 (1999)
<i>AS</i>	B8	Kopp, E. et al., "Inhibition of NF- κ B by Sodium Salicylate and Aspirin." <i>Science</i> , Vol. 265, pages: 956-959 (1994)
<i>AS</i>	B9	Li, Q. et al., "Severe Liver Degeneration in Mice Lacking the I κ B Kinase 2 Gene." <i>Science</i> , Vol. 284, pages: 321-325 (1999)
<i>AS</i>	B10	Lindgren, M. et al. "Cell-penetrating peptides." <i>Trends Pharmacol. Sci.</i> Vol. 21, No. 3, pages: 99-103 (2000).
<i>AS</i>	B11	May, M.J. et al. "Rel/NF- κ B and I κ B proteins: an overview." <i>Cancer Biology</i> , Vol. 8, pages: 63-73 (1997)
<i>AS</i>	B12	May, M.J. et al. "Selective inhibition of NF- κ B activation by a peptide that blocks the interaction of NEMO with the I κ B kinase complex." <i>Science</i> . Vol. 289, No. 5484, pages: 1550-4 (2000)
<i>AS</i>	B13	May, M.J. et al. "Signal Transduction through NF- κ B." <i>Immunology Today</i> , Vol. 19, No. 2, pages: 80-88 (1998)
<i>AS</i>	B14	Mercurio, F. et al., "I κ B Kinase (IKK)-Associated Protein 1, a Common Component of the Heterogeneous IKK Complex." <i>Molecular and Cellular Biology</i> , Vol. 19, No. 2, pages: 1526-1538 (1999)
<i>AS</i>	B15	Regnier, C.H. et al., "Identification and Characterization of an I κ B Kinase." <i>Cell</i> , Vol. 90, pages: 373-383 (1997)
<i>AS</i>	B16	Rothwarf, D.M. et al., "IKK- γ is an essential regulatory subunit of the I κ B kinase complex." <i>Nature</i> , Vol. 395, pages: 297-300 (1998)
<i>AS</i>	B17	Rudolph, D. et al., "Severe liver degeneration and lack of NF- κ B activation in NEMO/IKK γ -deficient mice." <i>Genes & Development</i> , Vol. 14, pages: 854-862 (2000)
<i>AS</i>	B18	Siebenlist, U. et al., "Structure, Regulation and Function of NF- κ B." <i>Annu. Rev. Cell. Biol.</i> , Vol. 10, pages: 405-455 (1994)
<i>AS</i>	B19	Takeda, K. et al., "Limb and Skin Abnormalities in Mice Lacking IKK α ." <i>Science</i> , Vol. 284, pages: 313-316 (1999)

Examiner	Date Considered <i>1-6-04</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	



MAY 09 2009
APPLICANT FACSIMILE OF FORM PTO-1449

REY 77

U.S. DEPARTMENT OF
COMMERCE
PATENT AND TRADEMARK OFFICE

ATTY DOCKET NO

SERIAL NO.

09/847946

140-721-040-0-006

May Michael J et al

FILING DATE

6801

May 2 2001

LIST OF PUBLICATIONS CITED BY APPLICANT
(Use several sheets if necessary)

Sheet 3 of 3

SUPPLEMENTAL FACSIMILE OF FORM PTO-1449 REV. 7-20		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY DOCKET NO PPI-119	SERIAL NO. 09/847946
		APPLICANT May, Michael J. et al.	FILING DATE May 2, 2001	GROUP 1646
LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)				

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

<i>AB</i>	C1	Traenckner, E.B-M. et al., "Phosphorylation of human I κ B- α on serines 32 and 36 controls I κ B- α proteolysis and NF- κ B activation in response to diverse stimuli." <i>The EMBO Journal</i> , Vol. 14, No. 12 pages: 2876-2883 (1995)
<i>AB</i>	C2	Yamaoka, S. et al., "Complementation Cloning of NEMO, a Component of the I κ B Kinase Complex Essential for NF- κ B Activation." <i>Cell</i> , Vol. 93, pages: 1231-1240 (1998)
<i>AB</i>	C3	Ye, J. et al., "Regulation of the NF- κ B Activation Pathway by Isolated Domains of FIP3/IKK γ , a Component of the I κ B- α Kinase Complex." <i>The Journal of Biological Chemistry</i> , Vol. 275, No. 13, pages: 9882-9889 (2000)
<i>AB</i>	C4	Zandi, E. et al. "The I κ B kinase complex (IKK) contains two kinase subunits, IKK α and IKK β , necessary for I κ B phosphorylation and NF- κ B activation." <i>Cell</i> . Vol. 91, No. 2, pages: 243-52 (1997).
<i>AB</i>	C5	Zhang, S.Q. et al., "Recruitment of the IKK Signalosome to the p55 TNF Receptor: RIP and A20 Bind to NEMO (IKK γ) upon Receptor Stimulation." <i>Immunity</i> , Vol. 12, pages: 301-311 (2000)
<i>AB</i>	C6	Zhong, H. et al., "The Transcriptional Activity of NF- κ B Is Regulated by the I κ B-Associated PKAc Subunit through a Cyclic AMP-Independent Mechanism." <i>Cell</i> , Vol. 89, pages: 413-424 (1997)

~~RECEIVED~~

MAY 18 2003

TECH CENTER 1600/2900

Examiner *[Signature]* **Date Considered** *1-6-04*

***EXAMINER:** Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.